

Certificate of Analysis

F03.013.00



322 Flora ReFresh

I. General Information

Description: Flora ReFresh
Serving Size: ~ 1mL
Fill Vol: 480 mL

Lot # 0921-08
Spec Rev: 2
Bulk Item Code: B322

II. Test Report

	Attribute	Spec Range	Result	Method
Physical	Appearance	Clear to Cloudy	Pass	SOP 03.016
	Odor	Citrus/ Floral Aroma	Pass	SOP 03.016
	pH	2.5-4.0	3.0	SOP 03.017
Chemical	Assay: Magnesium	Report	7,162 ppm	ICP-OES
	Assay: Zinc	Report	828 ppm	ICP-OES
	Assay: Silver	Report	1.50 ppm	ICP-OES
Heavy Metals	Pb	NMT 10 mcg/day	0.027	ICP-MS
	Hg	NMT 2 mcg/day	0.005	ICP-MS
	Cd	NMT 5 mcg/day	0.002	ICP-MS
	As	NMT 15 mcg/day	<0.001	ICP-MS
Micro	Total Plate Count	<100 cfu/g	<10	USP<2021>
	Yeast	<10 cfu/g	<10	USP <2021>
	Mold	<10 cfu/g	<10	USP <2021>
	Total Coliforms	<10 cfu/g	<10	AOAC 991.14
	<i>E. coli</i>	Absent in 10g	Absent	USP<2022>
	<i>Salmonella</i>	Absent in 10g	Absent	USP<2022>

IV. COA Approval

	Name	Title	Sign	Date
Prepared By:	Alicia Alvarez	QC Manager	<i>Alicia Alvarez</i>	01/27/22
Approved By:	Melanie Smith	QC Specialist	<i>Melanie Smith</i>	01/27/22