



CERTIFICATE OF ANALYSIS

B324

324

LOT 1224-04

PRODUCT NAME:	PICO ZINC +
FINISHED PRODUCT SPECIFICATION:	05.B0324.00
SERVING SIZE:	2.5 ML
UNIT FILL:	240 ML
MANUFACTURE DATE:	01/25
EXPIRY DATE:	01/27
UNITS:	5,100

ATTRIBUTE	SPECIFICATION RANGE	RESULT	METHOD
ZINC CONTENT	20.0-25.0 MG/2.5 ML	20.190 MG/2.5 ML	WI.ICP.408
COPPER CONTENT	2.0-2.5 MG/2.5ML	2.1848 MG/2.5 ML	WI.ICP.408
PH	3.5-4.5	4.2	SOP 03.017.02
APPEARANCE	CLEAR, BLUE	PASS	SOP 03.026.04 CLASS OP CAT I
SCENT	ODORLESS	PASS	SOP 03.026.04 CLASS OP CAT II
LEAD CONTENT	< 0.5 PPM	0.010 PPM	USP <2232>
MERCURY CONTENT	< 0.1 PPM	<0.001 PPM	USP <2232>
CADMIUM CONTENT	< 1.0 PPM	0.001 PPM	USP <2232>
ARSENIC CONTENT	< 10 PPM	<0.001 PPM	USP <2232>
TOTAL PLATE COUNT	< 10 CFU/G	< 10 CFU/G	AOAC MODIFIED
YEAST & MOLD	< 10 CFU/G	< 10 CFU/G	AOAC MODIFIED
E. COLI	NONE DETECTED	NONE DETECTED	PCR
SALMONELLA SPP.	NONE DETECTED	NONE DETECTED	PCR
STAPHYLOCOCCUS AUREUS	NONE DETECTED	NONE DETECTED	PCR
PSEUDOMONAS AERUGINOSA	NONE DETECTED	NONE DETECTED	USP <62>

APPROVALS	NAME	TITLE	SIGNATURE AND DATE
PREPARED BY	Rebecca Goffe	Director of Operations	RGG 02/19/25
APPROVED BY	Rebecca Goffe	Director of Operations	RGG 02/19/25

Manufactured in a third-party certified cGMP facility that uses ISO-17025 laboratories for testing all products.